




Urinary Bladder Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005





Numbers on map correspond to counties listed on the bar graph to the left.

Urinary Bladder Cancer


Age-Adjusted Incidence Rates among Females

New York State, by County, 2001-2005





* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval




Numbers on map correspond to counties listed on the bar graph to the left.

Brain and Nervous System Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005





* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval




Numbers on map correspond to counties listed on the bar graph to the left.

Brain and Nervous System Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval




Numbers on map correspond to counties listed on the bar graph to the left.


Breast Cancer

Age-Adjusted Incidence Rates among Females

New York State, by County, 2001-2005




Numbers on map correspond to counties listed on the bar graph to the left.



New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



New York State Rate:
124.8 cases per 100,000 women



Indicates 95% confidence interval

Number of Breast Cancer cases per 100,000 women


Colorectal Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.


New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
63.5 cases per 100,000 men





Indicates 95% confidence interval

New York State Rate:
47.3 cases per 100,000 women



Indicates 95% confidence interval

Colorectal Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005






Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

Kidney and Renal Pelvis Cancer

Age-Adjusted Incidence Rates among Males

New York State, by County, 2001-2005





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases


Indicates 95% confidence interval

Kidney and Renal Pelvis Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population





* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Leukemia

Age-Adjusted Incidence Rates among Males


New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
16.7 cases per 100,000 men






* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Leukemia

Age-Adjusted Incidence Rates among Females

New York State, by County, 2001-2005





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases


Indicates 95% confidence interval

Liver and Intrahepatic Bile Duct Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005






* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.

Liver and Intrahepatic Bile Duct Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases

Indicates 95% confidence interval


Lung and Bronchus Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.




New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
80.8 cases per 100,000 men



Indicates 95% confidence interval



Lung and Bronchus Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.


New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

Non-Hodgkin Lymphoma Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.



New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



* Rate is based on fewer than 20 cases


—|— Indicates 95% confidence interval

Non-Hodgkin Lymphoma Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.




New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Oral Cavity and Pharynx Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases


Indicates 95% confidence interval

Oral Cavity and Pharynx Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.


New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



* Rate is based on fewer than 20 cases



Indicates 95% confidence interval

New York State Rate:
166.3 cases per 100,000 men



Indicates 95% confidence interval



Prostate Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.


New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

Thyroid Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2001-2005






* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.

Thyroid Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2001-2005



Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases

Indicates 95% confidence interval